

Date: 02 Jun 2023

CORRIGENDUM-III TO TENDER NO

No.: IISER/PUR/0024/PYS/IT/23-24

**Sub: Supply and Installation of modular workstations and mid back fabric
chairs: reg**

Ref: Tender Enquiry No. 2023_IISRT_750964_1

1. The above mentioned tender is hereby re-tendered with revised technical specifications at Annexure 1.
2. The due dates will be as follows:-

Due Date 12 Jun 2023 1500 Hrs
Date of opening 13 Jun 2023 1530 Hrs
3. All other Terms and Conditions remain the same. Bidders may quote accordingly

Thanking You,

Yours Faithfully

Deputy Registrar (P&S)



Annexure 1

SINo	Specification	Unit	Qty
1	<p>Linear Workstation: 900mmx600mm</p> <p>Supply and installation of modular workstations. The frame should be made out of ± 1.5mm and 1mm thick CRCA sheets. All the frames should be duly epoxy powder coated to any color to a thickness of 50-60 microns. The horizontals and verticals of the frame should be welded together at different heights so as to facilitate the wire management system running with in the frame. The frame should have various slots at different heights for fixing the table top, gable end brackets, and tiles. All the frames should be joined together by means of bolts & nuts. They could be attached to form a 2-way, 3-way or 4-way configuration. It should be possible to join the frames at 90 degrees. All the frame should be fixed with aluminium trims. These trims should be finished in an epoxy powder coating finish. The connectors at the top of the frames should be made out of ABS plastic of a closest matching color to the trims conforming to ASM standards. All the frames should be fitted with M8 levelling bolts with a 50mm broad base. The unit should have preinstalled power points and Ethernet points.</p> <p>Technical specifications of raceway and skirting: The raceway and skirting should be made out of 0.8mm thick CRCA sheet. These tiles should be fixed to the frame. The tiles should be provided with fabric board /white board as required. All table tops should be made up of ± 25mm plain particle board with post forming of ± 0.8mm laminate on top and 1.0mm balancing laminate at bottom. Legs should be made of ± 25mm pre-laminated particle board with PVC edge banding. Specially designed powder coated M.S. brackets should be fixed to the partition frame support the table tops and gable ends.</p> <p>Dimension: Table top size 900mm(W) x 600mm(D) with side and front partition up to a height of ± 1200mm.</p>	Nos	90




2	<p>Workstation Chair:</p> <p>Mid Back Chair having cushioned seat and back upholstered with good quality quilted fabric of approved color on Tubular back frame. The seat shall be made up of 12±0.1mm thick hot-pressed plywood and HR polyurethane foam, which is molded with density= 42±2 kg/m³. The chair shall have BIFMA compliant Class 3 gas lift for seat height adjustment with an adjustment stroke of 100mm. The chair shall be provided with Centre Tilt mechanism with upright position locking, 360-degree revolution, Tilt tension adjustment, Nylon Castors along with Nylon Star Base. The twin wheel castors shall be injection molded in Black Nylon. The chair shall have PP fixed armrest.</p> <p>Overall Dimensions – 600±50mm(W) x 600±50mm(D) x 950/1050±50mm(H)</p>	Nos	90
---	--	-----	----

Other conditions

- Bidder should be Original Equipment Manufacturer (OEM) of the Product or Its Authorised Reseller with a letter from OEM mentioning the specific bid authorization.
- **Delivery time**– The items should be delivered in 30 days upon placing the order. The bidder should mention delivery time in his offer.
- **Certifications**- The OEM/Bidder should submit the all below certifications with tender documents-
 - ISO Certification (ISO9001:2015; ISO14001:2015; ISO45001:2018; ISO50001:2018) from NACB accredited Certified Only.
 - CII Certified IGBC Membership Certificate and Green Co Certificate.
 - UK Certified BIFMA Level 3 Certificate and Green Guard Compliance Certificate.
 - AIOTA Membership Certificate
- **Certificate of Financial Turnover**
The Bidder should not have been blacklisted by the registering authority or any Govt. department / State Govt. department / undertaking Govt. department etc. Bidder should produce copy of undertaking duly notarized on 100/- stamp paper.
- **Service Setup**-
OEM shall must have service setup, service support team in local to attend the service within 24 hours and have the Warehouse in Kerala to faster delivery. Bidder should submit service escalation matrix.




- **Machinery Details-**

The Manufacturer should have their own factory for metal working and wood working. Complete details of Machinery, equipment and tools with technological capabilities available in the Manufacturing unit need to be submitted along with the photo and also submit the Factory license.

- **Past Performance-**

Bidder/OEM shall have had a Single Order of at least 10 lakhs in Modular Furniture Category in Last 3 Year in a Government department and the PO & completion certifications should be submitted.

- OEM/Bidder should regularly use Raw Material as per below approved list and Need to submit the proof of copies with the time of Invoice submission-

S. No	Raw Material	Approved Make
1	Pre Laminated Board	Century/Green lam/Marino
2	Laminates	Century/Green lam/Marino
3	Stainless Steel Hardware	Godrej/Ebco/Innofitt/Hettich/hafele
4	Aluminium Extruded Section	Jindal/Tata/Hindalco
5	Glass	Saint-Gobain/Asahi Glass/Emirate Glass
6	Locks	Godrej/Ebco/Innofitt/Hettich/hafele
7	CRCA Steel	Tata/Sail/Jindal
8	Powder Coating	NEROLAC/ASIAN PAINTS/ BERGER PAINTS
9	Fabric	Response/Meghana

- Bidder should Submit the Undertaking to Supply the Make in India Product with 100% Local Content from OEM.
- Bidder shall submit the Item Wise Product Catalogue with Image.
- Bidder should have feasibility report issued from Rites/EIL or equivalent authority in India.
- Specific drawings with exact dimensions with location of furniture to be placed shall be finalized before execution according to requirement.
- In-house testing certificates for the products mentioned in the tender as per BIFMA standard to be furnished for evaluation along with the tender


